

# Index

- ABIDE database, 260
- abstract meaning representation, 205
- abstract syntax tree, 281
- across-dimension neighbor, 177
- across-dimension representation, 179
- activation functions, 47
- adjacency matrix, 183, 222, 260
- adjacent matrix, 18
- adversarial attack, 137
- air pollution, 243
- air quality, 243
- air quality forecasting, 243
- amino acid, 251
- amino acid residues, 253
- AMR, 205
- anti-money laundering, 248
- artificial neural networks, 43
- ASD, 260
- AST, 281
- attention mechanism, 209, 236
- attribute mask, 271
- attribute masking, 273
- autism spectrum disorder, 260
- autoencoder, 63–67, 187, 192
  - decoder, 65
  - encoder, 63
  - regularized autoencoder, 66
  - undercomplete autoencoder, 65
- auxiliary task, 269
- backpropagation, 68–70
- balance theory, 180
- balanced representation, 181
- batch normalization, 71
- BERT, 269
- betweenness centrality, 25
- Bi-directional LSTM, 206
- Bi-LSTM, 206, 208
- binary classification, 234, 253
- binary graph classification, 246
- bio-chemistry, 249
- bipartite graph, 33
- bipartite graph embedding, 96–97
- bipartite graph neural network, 176
- bouncing balls, 282
- cell memory, 190
- centrality, 23–26
  - betweenness centrality, 25
  - degree centrality, 23
  - eigenvector centrality, 24
  - Katz centrality, 25
- centrality ranking, 270
- CFG, 281
- charged particles, 282
- chemical bonds, 254
- CNN, 44, 51–59
- collaborative filtering, 237
- combinatorial optimization, 278
- complex graph, 33–38, 93, 174–185
  - bipartite, 33, 96–97, 176
  - dynamic, 37, 103–104, 183
    - discrete, 38
  - heterogeneous, 33, 94–96, 174
  - hyper, 36, 101–103, 182
  - multi-dimensional, 34, 97–98, 177
  - signed, 35, 98–101, 179
- computational phenotyping, 261
- computer vision, 220–232
- connected component, 22, 28
- connected graph, 22
- connectivity, 21
- Context Prediction, 272
- ContextLabel, 271

- control flow graph, 281
- control variate, 166
- convolution operation, 52–57
- convolutional layer, 52–57
- convolutional neural network, 44, 51–59
  - convolution operation, 52
    - equivariant representation, 55
    - filter, 53
    - kernel, 53
    - parameter sharing, 55
    - sparse connection, 54
  - convolutional layer, 52
    - channel, 56
    - stride, 56
  - pooling layer, 58
    - average, 58
    - max, 58
- CorrectedLabel, 272
- cyber attacker, 244
- cybersecurity, 244
- cybersecurity data mining, 244
- data flow graph, 281
- data mining, 233–248
- DDI, 255
- decoder, 187, 192, 208
- deep learning, 1, 43–71
- deep neural networks, 43
- deep Q-learning, 148
- deepwalk, 77–84
- degree, 19
- degree centrality, 23
- degree matrix, 26, 27
- dependency relation, 208
- DFG, 281
- diameter, 23, 162
- discrete dynamic graph, 38
- discriminator, 198, 200
- disease association prediction, 261
- disease prediction, 259
- DisMult factorization, 218
- Distance2Clusters, 270
- Distance2Labeled, 271
- distributed circuit design, 283
- dropedge, 268
- dropout, 71
- drug, 249
- drug development, 249
- drug discovery, 249
- drug re-purposing, 250, 253
- drug similarity integration, 255
- drug-drug interaction, 255, 257
  - drug-drug interaction prediction, 255
  - drug-protein interaction, 257
  - drug-protein pair, 254
  - drug-target binding affinity prediction, 249, 253
  - drug-target interaction, 253
  - drug-target interaction prediction, 254
- DTI, 253
- dynamic graph, 37
- dynamic graph embedding, 103–104
- dynamic graph neural network, 183
- dynamical system, 282
- e-commerce, 244
- e-finance, 244
- ECC-filter, 194
- edge, 18
- edge mask, 270
- ego-network, 234
- eigen-decomposition, 267
- eigenvector centrality, 24
- ELU, 48
- encoder, 192, 208
- entity graph, 212
  - COMPLEMENT edge, 212
  - COREF edge, 212
  - DOC-BASED edge, 212
  - MATCH edge, 212
- entity-GCN, 211, 212
- EvolveGCN, 183
- explainable graph neural network, 277
- expressive piano performance, 283
- expressiveness, 273
- fake news, 246
- fake news detection, 246
- fast gradient sign method, 142
- feature engineering, 8
- feature learning, 8
- feature selection, 9
- feedforward networks, 44–51
- few-shot image classification, 229
- FGSM, 142
- finite Markov decision process, 148, 149
- fraud detection, 248
- frequency component, 112
- functional MRI, 260
- GAN, 196
- GAT-Filter, 219
- gated global pooling, 194, 200
- gated recurrent unit, 63
  - update gate, 63

- Gaussian distribution, 192
- Gaussian kernel, 222, 260
- GCN-Filter, 130, 160, 163, 182–184, 188, 216, 226, 253, 256, 266, 267
- generative adversarial network, 196
- generative model, 192
- generator, 198, 199
- GGNN-Filter, 223
- GNN, 106–135
- GNN-Filter, 243
- GPT-2, 269
- Graclus, 171
- gradient descent, 67, 160
- graph, 1, 17, 186, 189
  - graph adversarial attack, 137–150
    - black-box attack, 140, 147–150
      - rewatt, 149
      - RL-S2V, 147
    - evasion attack, 139
    - gray-box attack, 139, 143–147
    - poisoning attack, 139
    - targeted attack, 139
    - untargeted attack, 139
    - white-box attack, 139–143
      - integrated gradient guided attack, 142
      - metattack), 145
      - netattack), 143
      - PGD topology attack, 140
  - graph adversarial defense, 150–159
  - graph adversarial training, 151–153
  - graph attention, 154–158
    - PA-GNN, 155
    - RGCN, 154
  - graph purification, 153–154
  - graph structural learning, 158
    - Pro-GNN, 158
- graph classification, 41, 134
- graph embedding, 75–104
  - community structure, 91–93
  - information extractor, 76
  - mapping function, 75
  - node co-occurrence, 77
  - node status, 89–91
  - structural role, 86–89
- graph filter, 106, 111–127, 181, 183, 216
  - spatial-based graph filter, 121
    - ECC-Filter, 124
    - GAT-Filter, 123
    - GGNN-Filter, 125
    - GraphSAGE-Filter, 122
    - Mo-Filter, 126
    - MPNN-Filter, 126
  - spectral-based graph filter, 111–121
    - Cheby-Filter, 117–119
    - GCN-Filter, 119
- graph filtering, 106, 268
- graph filtering operation, 243
- graph Fourier basis, 31
- graph Fourier coefficient, 31, 112
- Graph Fourier Transform, 30
- graph Fourier transform, 112
- graph generation, 193, 199
- graph isomorphism, 275
- graph neural network, 137, 188, 205, 225, 265, 279
  - graph filter, 106
  - graph filtering, 106
  - graph pooling, 107
    - robust, 137–159
    - scalable, 160–172
  - graph neural networks, 106–135
  - graph pooling, 107, 127–133
    - flat graph pooling, 128
      - average pooling, 128
      - gated global pooling, 128
      - max pooling, 128
    - hierarchical graph pooling, 129–133
      - downsampling based pooling, 129–130
      - supernode based pooling, 130–133
  - graph property prediction, 273
  - graph signal, 29–33, 112
  - graph signal processing, 29
  - graph spectral filtering, 111
  - graph to sequence learning, 205, 214
  - graph-focused task, 41, 109, 272
    - graph classification, 41
- Graph-LSTM, 189
- GraphSAGE-Filter, 165
- GRU, 63, 184, 255
- Hadamard product, 188
- healthcare, 249
- heterogeneous graph, 33
- heterogeneous graph embedding, 94–96
- heterogeneous graph neural network, 174
- hidden state, 190
- hierarchical softmax, 81
- human action recognition, 225
- human body skeleton, 225
- hyperbolic geometry, 277
- hyperbolic space, 277
- hyperbolic tangent, 48
- hyperedge, 37, 182

- hypergraph, 36
- hypergraph embedding, 101–103
- hypergraph neural network, 182
- image, 221
- image captioning, 232
- image classification, 227
- importance sampling, 168
- Inception, 269
- indication matrix, 182
- inference model, 192
- injective operation, 276
- interacting system, 282
- interaction network, 282
- inverse graph Fourier transform, 112
- Jaccard similarity, 153
- joint training, 270, 272
- Katz centrality, 25
- knowledge graph, 240
- knowledge graph, 205, 215, 228, 230
- knowledge graph completion, 217
- Laplacian matrix, 26–29, 112
  - eigenvalue, 28
  - eigenvector, 28, 112
  - normalized, 27, 267
- layer-wise sampling, 166–170
- leaky ReLU, 48
- ligand protein, 253
- LINE, 85
- linear classifier, 228
- linear transformation, 223
- link prediction, 40
- logistic regression, 228
- long short-term memory, 61–63
  - cell state, 61
  - forget gate, 62
  - hidden state, 61
  - input gate, 62
  - output gate, 62
- LSTM, 61, 184, 189, 206, 244, 255
- machine reading comprehension, 210
- malicious account, 244
- malicious account detection, 244, 245
- matrix factorization, 240
- max pooling, 195
- MAXCUT, 279
- maximal independent set, 279
- maximum cut, 279
- McCulloch-Pitts Neuron, 43
- medical images, 259
- medication recommendation, 261
- Mento-Carlo sampling, 164
- meta-gradient, 146
- meta-optimization, 157
- meta-path, 94, 175
  - meta-path schema, 95
- meta-path based neighbors, 175
- meta-path schema, 175
- Metis, 171, 270
- minimum vertex cover, 278
- minmax game, 197
- MIS, 279
- model-level explanation, 277
- molecular fingerprint, 250
- molecular graph generation, 249
- molecular property prediction, 249
- molecular representation, 251
- molecular representation learning, 249
- molecule, 249
- MPNN-Filter, 251
- multi-dimensional graph, 34
- multi-dimensional graph embedding, 97–98
- multi-dimensional graph neural network, 177
- multi-hop QA, 210
- multi-label image classification, 230
- multi-modal graph, 257
- multi-relational link prediction, 257
- multivariate Gaussian distribution, 154
- MVC, 278
- N-body, 282
- natural code sequence, 281
- natural language generation, 214
- natural language processing, 205–219
- NCS, 281
- negative edge, 180
- negative sampling, 83
- neighbor, 20, 162
  - balanced, 180
  - temporal, 226
  - unbalanced, 180
- neighborhood expansion, 162
- neighborhood explosion, 162, 163, 165
- neural machine translation, 205, 208
- NLG, 214
- NLP, 205–219
- node, 18
  - node annotation, 279
  - node classification, 39, 133, 279
  - node property, 270
  - node representation, 11, 222
  - node representation learning, 187, 193, 197
  - node-focused task, 39, 108, 269

- link prediction, 40
- node classification, 39
- node-wise sampling, 164–166
- node2vec, 84
- non-isomorphic graph, 275
- online social media, 246
- over smoothing, 266
- pairnorm, 268
- pairwise distance, 270
- PairwiseAttSim, 271
- parse tree, 205
- path, 21
  - balanced, 180
  - unbalanced, 180
- perceptron, 43
- phenotypic measure, 260
- point clouds, 231
- polypharmacy, 256
- polypharmacy side effect, 257
- polypharmacy side effect prediction, 256
- pooling layer, 58
- positive edge, 180
- pre-trained model, 269
- probabilistic graph, 195
- program representation, 280
- projected gradient descent, 141
- protein, 250, 251
- protein interface, 253
- protein interface prediction, 250, 251
- protein-protein interaction, 257
- pseudo label, 271
- QA, 210
- question answering, 205, 210
- question dependent graph, 222
- random walk, 77, 172
  - biased, 89
  - meta-path based, 95
- receptor protein, 253
- recommender system, 237–241
- Rectifier, 47
- recurrent neural network, 59–63, 184, 189
- reinforcement learning, 147, 150, 280
  - action, 148, 150
  - reward, 148, 150
  - state, 148, 150
  - state transition dynamics, 150
  - terminal, 148, 150
- relation extraction, 205, 209
- ReLU, 48
- representation learning, 10
- rewiring operation, 149
- RNN, 59, 184, 209, 255
- sample-level explanation, 277
- scalability, 160
- scene graph generation, 232
- SDN, 283
- self-supervised learning, 268, 269
- semantic embedding, 228
- semantic relation, 281
- semantic role labeling, 205–208
- semi-supervised classification, 245
- sequence model, 243
- SGD, 158, 161
- shortest path, 23, 234
- side information, 237
- sigmoid, 48
- signed graph, 35
- signed graph embedding, 98–101
- signed graph neural network, 179
- singular value decomposition, 154
- skeleton-based action recognition, 225
- skipgram, 11
- social influence, 234
- social influence prediction, 234
- social network, 234, 240
- social network analysis, 234
- social relation, 240
- social representation learning, 235
- software defined networks, 283
- software vulnerability detection, 281
- spammer detection, 244
- spamming message, 244
- spatial domain, 29, 112
- spatial relation, 241
- spatial temporal graph, 226
- spectral domain, 30
- spectral graph theory, 26
- SRL, 206–208
- SSL, 269
- stochastic gradient, 166
- stochastic gradient descent, 158, 161
- subgraph, 22, 171
- subgraph-wise sampling, 170–172
- surrogate model, 144
- SVD, 154
- syntactic dependency tree, 205, 207, 209, 223
- syntactic relation, 281
- temporal distance, 226
- temporal relation, 243, 244
- time series, 241
- traffic flow, 241

traffic forecasting, 241  
traffic network, 242  
traffic prediction, 241  
trail, 21  
TransR, 239  
travelling salesman problem, 278  
tree, 189  
Tree-LSTM, 189  
TSP, 278  
two-stage training, 269, 272  
unbalanced representation, 181  
undirected graph, 18  
unlabeled data, 268  
urban data mining, 241  
user-item interaction, 240  
VAE, 191  
variable misuse detection, 281  
variational autoencoder, 191, 283  
VGG, 269  
visual question answering, 220  
vqa, 220  
walk, 21  
web data mining, 233–237  
weight regularization, 71  
Weisfeiler-Lehman graph isomorphism test,  
274  
WIKIHOP, 210  
within-dimension neighbor, 177  
within-dimension representation, 179  
WL test, 274  
word embedding, 11  
word2vec, 11  
zero-shot image classification, 228